Patient & Family Guide

### Negative Pressure Wound Closure Therapy

A Portable System for Advanced Wound Healing



# Negative Pressure Wound Closure Therapy

### What is negative pressure wound closure therapy?

Negative pressure wound closure therapy is a portable (you can carry it with you) machine that uses controlled negative pressure (like a vacuum) to help heal wounds. This machine is ordered by your primary health care provider.

#### Safety at home

Do not touch the machine's settings. Only your primary health care provider or nurse should change the settings.

If your home does not have 3-pronged outlets, use a 3-pronged adapter.

- Do not use extension cords with the machine.
- Keep electrical cords out of areas where people often walk (like the kitchen).
- Do not try to service or fix the machine yourself.
- Do not spill liquids on the machine. It must stay dry.
- Never plug more than 2 appliances into an outlet at once.

### **Common questions**

#### What does the therapy feel like?

Most people who use this therapy say that it is not painful. It causes a mild 'pulling' feeling that goes away after a few minutes.

The wound may get tender or itchy as it heals. This is usually a good sign. If the pain or itching bothers you, tell your caregiver.

### Can I move around while using the machine?

Yes, the machine is made to let you move freely. Your primary health care provider will tell you how much you can move your arm or leg with the dressing.

Can I have a tub bath or shower while using the machine?

No, the machine cannot get wet.

You may have a sponge bath while using the machine.

### How many hours a day should I use the machine?

You should use the machine for at least 22 hours each day.

If the machine is turned off for more than 2 hours, you must take off your dressing and cover the wound with a different kind of dressing. Your nurse will give you this dressing. If this happens, call the VON (Victorian Order of Nurses for Canada).

### What will the dressing look like when the machine is working?

The dressing will shrink (get smaller) and wrinkle like a raisin.

## How often does the dressing have to be changed?

The dressing will be changed 3 times a week. Your primary health care provider or nurse will work with you to make a plan for this.

#### Will the dressing change hurt?

You may feel a bit of pain when the dressing is changed. If this happens, tell your nurse.

#### If you are admitted to a hospital:

- Bring the machine and its case to the hospital with you.
- Call the VON to tell them you are in the hospital (see page 8).

#### **Tips**

#### **Every day**

- Use the machine for at least 22 hours each day. Do not turn off the machine for more than 2 hours at a time.
- If the machine is turned off by accident, push the on/off button to turn the machine back on. The machine will turn on to the correct settings.
- Keep the machine plugged in as much as possible to keep the battery charged.

#### Check often

☐ Is the machine on?	
$\square$ Does the display screen read "t	herapy on"?
☐ Are the clamps open?	

#### Safety tips

For your safety, the machine will sound an alarm if any of the following happens:

Machine will alarm if:	Action:
Canister is full.	☐ Check to see if the tubing is kinked (bent). ☐ Replace canister, if full. ☐ Call the Clinic or VON if
Your dressing leaks.	the alarm continues.   Listen for a whistling sound at the dressing site.
	☐ If you hear whistling, put a layer of the plastic covering over the part of the dressing where you hear whistling.
	☐ Call the Clinic or VON if the leak continues.
Battery is low.	□ Recharge battery by plugging into a wall outlet.

Other things to look for:	Action:
Bleeding under clear dressing, in the tubing, or in the	□ Call your primary health care provider or nurse.
canister.	☐ Turn off the machine.
	□ Clamp and unplug the tubing between the dressing and the machine.
	☐ Apply pressure to the wound with your hand and raise your arm or leg up on pillows.
Machine is turned off for more than 2 hours.	□ Call your primary health care provider or nurse.
	☐ Remove the dressing.
	☐ Apply the other dressing that you were given.

Other things to look for:	Action:
You have a fever (temperature above 38.5° C/101.3° F).	
The wound is tender, red, swollen, or itchy.	□ Call your primary health care provider or nurse.
There is a rash or more warmth in the wound area.	
You are vomiting (throwing up).	
You have an upset stomach, diarrhea (loose, watery poop), headache, sore throat, or dizziness.	□ Call your primary health care provider or nurse.

## Tell your primary health care provider or nurse right away if:

- You notice a change in the colour or make-up of the fluid (for example, the fluid becomes bloody or cloudy)
- The wound is more red or has an odour (smell)
- You feel more pain
- The alarm will not stop

#### Important phone numbers

VON:	
Clinia	
Clinic:	
Dr	
Office: 902-473	
Resident on call: <b>902-473-2222</b>	
Resident on Call. 302-413-2222	
Ask for the	_ resident on
call.	

Notes:		

#### Looking for more health information?

Find this pamphlet and all our patient resources here: https://library.nshealth.ca/PatientEducation Contact your local public library for books, videos, magazines, and other resources.

For more information, go to http://library.novascotia.ca

Connect with a registered nurse in Nova Scotia any time: call 811 or visit https://811.novascotia.ca Learn about other programs and services in your community: call 211 or visit http://ns.211.ca

Nova Scotia Health promotes a smoke-free, vape-free, and scent-free environment.

Please do not use perfumed products. Thank you!

www.nshealth.ca

Prepared by: Orthopedic Clinic Designed by: Nova Scotia Health Library Services

The information in this brochure is for informational and educational purposes only.

The information is not intended to be and does not constitute health care or medical advice.

If you have any questions, please ask your health care provider.

WE85-1221 © August 2021 Nova Scotia Health Authority
The information in this pamphlet is to be updated every 3 years or as needed.

